

ADVANCED DATA ANALYSIS MONITOR

ADAM SYSTEM

OPERATION MANUAL



Copyright © 2010-2016 AMADA MIYACHI AMERICA

The engineering designs, drawings and data contained herein are the proprietary work of **AMADA MIYACHI AMERICA** and may not be reproduced, copied, exhibited or otherwise used without the written authorization of **AMADA MIYACHI AMERICA**.

Printed in the United States of America.

Revision Record

Revision	EO	Date	Basis of Revision
A	31282	07/10	None. Development only, not released.
B	40824	12/10	None. Original edition.
C	40994	05/11	Additional instructions and clarifications.
D	41869	03/12	Added reference notes, updated screen changes.
E	42582	07/13	Updated I/O schematics.
F	42861	11/13	Updated to Miyachi America name and logo.
G	43482	11/14	Updated to AMADA MIYACHI AMERICA name and logo.
H	43878	09/15	Updated to AMADA MIYACHI AMERICA format.
J	44602	04/17	Miscellaneous Manual Corrections + updates

Your New Advanced Data Analysis Monitor (ADAM) Shipment Contains The Following Items:

1. ADAM Processing Module.
2. ADAM Sensor Module
3. Computer Monitor & Mouse
4. Ship Kit # 4-81179-01 which includes:

AMADA MIYACHI AMERICA PART NUMBER	DESCRIPTION
205-339	AC Power Cord, 1 Each
525-065	Power Supply, 1 Each
205-337	Shielded Data Cable, 100 D, Type, 1 Each
205-338	Shielded Data Cable, 68-D-Type, 1 Each
250-776	Connector 8 Position, 2 Each
250-781	Connector 14 Position, 2 Each
4-35670-02	Voltage Pickup Cable
MB-400K	Toroidal Coil, 1 Each
250-829	Connector 16 Position, 1 Each
4-38454-01	CD ROM Containing PDF ADAM Operator Manual [990-877 Rev C], 1 Each

ADVANCED DATA ANALYSIS MONITOR

CONTENTS

Page

Revision Record	ii
Contact Us	x
Safety Notes	xi
Declaration of Conformity	xii
Chapter 1. Description	
Section I: Overview	1-1
Features	1-1
Section II: Major Components	1-2
ADAM Data Processing Module	1-3
ADAM Sensor Interface Module	1-4
ADAM Sensors	1-5
Current	1-5
Voltage	1-5
Displacement Sensor	1-6
Force / Pressure	1-6
Alternate Sensor (Gas Flow)	1-6
Section III: Monitor Software	1-7
Overview	1-7
Monitor Screens	1-8
Zoom Feature	1-9
Weld Error Levels	1-10
Envelope	1-10
Weld Data Log	1-11
Section IV: Measurement Method	1-12
AC Weld	1-12
DC Weld	1-13
Section V: Monitor Processes	1-14
Weld to Displacement	1-14
Force Firing	1-14
Section VI: Monitor Functions	1-16
Waveforms	1-16
Serial Numbers and Lot Numbers	1-16
Hard Disk Space Management	1-16
Data Backup	1-17
Result Checking – Limits and Warnings – Special Notes	1-17
Monitor Processing Rate	1-18

CONTENTS (Continued)

Page

Chapter 2. Installation and Setup

Section I: Before You Start	2-1
Unpacking	2-1
Space Requirements	2-1
Input Power	2-2
Data Processing Module	2-2
Sensor Interface Module	2-2
Monitor, Keyboard & Mouse	2-3
Section II: System Connections	2-4
Section III. Basic Functions	2-6
Power Up	2-6
Main Menu Screen After Login	2-7
Shutdown	2-7
Section IV. Windows Setup	2-8
Disable Automatic Updates for <i>Windows 7</i> [®]	2-8
Power Options for Computer and Monitor for <i>Windows 7</i> [®]	2-11
Section V. Activating the <i>Minitab</i> Software License	2-12
Section VI. Third Party Software	2-13
Section VII. Help	2-14

Chapter 3. Monitoring

Section I. User Login/Logout & Shutdown	3-1
Login to the Monitor	3-1
Shutdown	3-4
Section II. Monitor Section: Run Screen	3-5
Window Tabs	3-5
Run Screen	3-6
Real Time Graphs	3-7
Run Charts	3-7
Histogram	3-8
Calculations for Cp and Cpk	3-9
Process Parameters and Waveform	3-9
Large Parameter Display	3-9
Waveform	3-9
Schedule, Counters, Events, Errors	3-10
Entering Events	3-12
Section III. Monitor Section: Weld Monitoring Screen	3-15
Weld Monitoring Screen	3-15
Current, Voltage, Resistance, Power	3-16

Force 1, Force 2, Alternate Sensor	3-16
Displacement 1, Displacement 2	3-17
Formula 1, Formula 2	3-17
Limits, Warnings, and Envelopes	3-18
Limits and Warnings Indicators	3-18
Limits and Warnings Lines	3-18
Envelopes	3-19
Expanded Graph	3-19
Cursors	3-21
Arithmetic Functions with Cursors	3-23
Zoom Controls (Expanded Screen Only)	3-24
Section IV. Monitor Section: View Schedule	3-25
View Schedule Screen	3-25
Test Limits Page 1	3-26
Test Limits Page 2	3-27
Trigger	3-28
Weld Setup	3-29
Run Screen	3-30
Relay Screen	3-31
Section V. Monitor Section: View Logger	3-32
View Logger Screen	3-32
Section VI. Monitor Section: View Events & Errors	3-33

Chapter 4. Monitor Setup

Section I. System Setup	4-1
Report Header	4-2
Current Measure Mode	4-2
Force/Pressure	4-2
Force Units	4-3
Automatic File Purge	4-3
Standard Events	4-3
Sensor Type	4-3
Displacement Units	4-3
Alternate Sensor Label	4-3
Minitab Application Location	4-4
Unit Name	4-4
Baud Rate	4-4
Automatic Maintenance	4-4
Update Binary Schedule	4-5
Section II. Schedule Setup	4-7
Test Limits Page 1	4-7
Current	4-8

CONTENTS (Continued)

	Page
Voltage	4-9
Resistance	4-9
Power	4-10
SAVE Limits	4-10
Test Limits Page 2	4-11
Weld Time	4-11
Force 1 and 2	4-12
Alternate Sensor	4-12
Displacement Limits	4-13
Formula	4-14
Formula 1 Name	4-14
Formula 1 Limit Max, Warning Max, Warning Min, Limit Min	4-15
Formula 1 Limit Check	4-15
Formula 1 Display	4-15
Formula 1 Function	4-15
Arithmetic functions: Add (+), subtract (-), multiple (*), divide (/).	4-15
Parenthesis (or) Used To Sequence Calculations	4-15
Weld parameter Names	4-15
Trigger	4-16
Pre-Trigger	4-17
Post-Trigger	4-17
Current Coil Sensitivity	4-17
Triggering Mechanism	4-17
Digital Trigger	4-17
Current Trigger	4-17
Voltage Trigger	4-18
Force 1/Pressure and Force2/Pressure Trigger	4-19
Force Pressure Trigger Enable	4-19
Weld Setup	4-19
Shunt Resistance	4-20
Coil Ratio	4-20
Current Type	4-20
Start Cycle and End Cycle	4-20
Pulse Type	4-20
Limit/Warning Lines	4-21
Full Range – Coil Current	4-21
Full Range – Voltage / Force / Pressure / Alternate	4-21
Voltage Threshold for Resistance Calculation	4-21
Current Threshold for Resistance Calculation	4-21
Current Fall Level	4-22
Force 1 Fire Level	4-22
Initial Thickness Delay	4-22

Counters	4-22
Counter 1 and 2 Messages	4-22
Counter 1 Setpoint	4-22
Serial Numbers and Lot Numbers	4-22
Serial Number Increment	4-23
Serial Number	4-23
Lot Number	4-23
Filters	4-23
Run Screen.....	4-24
First Run Chart	4-25
Second Run Chart	4-25
Histogram	4-26
Numeric Data and Waveform	4-28
Waveform	4-28
Relay	4-29
Relay State	4-29
Condition	4-29
Channels Selected	4-30
Envelope	4-30
Section III. Security	4-37
To Add A User	4-38
To Delete A User	4-40
Section IV. Logger Setup	4-41
Section V. Waveform Setup	4-44
Select Waveform Log type	4-45
Waveform List.	4-45
Chapter 5. Using The ADAM Database	
Section I. Database Overview	5-1
Section II. View Logger	5-2
Querying the Database	5-3
Selecting Data to Export or Print	5-4
Exporting Data to a File	5-5
Printing Data to a Printer	5-6
Printing Data to a Document Writer	5-6
Statistics	5-7
Run Chart	5-8
Section III. View Waveforms	5-9
Querying the Database	5-10
Viewing the Waveforms for a Weld	5-11
Displaying One Waveform for Multiple Welds	5-12
Converting Waveforms to ASCII Format	5-15

CONTENTS (Continued)

Page

Section IV. SPC and Minitab	5-17
Section V. Accessing the ODBC Database	5-21
Section VI. Managing and Deleting Records	5-23
Automatic Record Deleting	5-24
Manual Record Deleting	5-24
Checking the Available Disk Capacity	5-24

Chapter 6. Diagnostics, Calibration, and Maintenance

Section I. Diagnostics	6-1
Digital I/O Diagnostics	6-1
Digital Inputs and Schedule Inputs	6-3
Digital Outputs and Schedule Outputs	6-4
Relay Outputs	6-4
Serial Port Test (Serial Loopback)	6-5
Ethernet Port Test	6-5
Logic Signal Test	6-5
Analog Input Diagnostics	6-6
Displacement Diagnostics	6-7
Section II. Calibration	6-8
Calibration Menu	6-9
Current Calibration	6-9
Calibration Procedure for Current Channel for Shunt	6-10
Calibration Procedure for Current Channel for Current Coil	6-11
Automated Procedure to Calibrate 2K Coil Range	6-11
Confirm the Current Coil Calibration	6-12
Procedure to Calibrate 6K, 20K, 60K, and 200K Coil Ranges	6-12
Manual Procedure to Enter Scale Factor and Offset for Current	6-13
Voltage Calibration	6-13
Automated Calibration Procedure for Voltage	6-14
Manual Procedure to Enter Scale Factor and Offset for Voltage	6-15
Force Calibration	6-15
Automated Calibration Procedure for Force 1	6-16
Manual Procedure to Enter Scale Factor and Offset for Force 1	6-17
Calibration Procedures for Force 2	6-17
Alternate Sensor Calibration	6-18
Automated Calibration Procedure for Alternate Sensor	6-19
Manual Procedure to Enter Scale Factor and Offset for Alternate Sensor	6-19
Sensor Module Calibration	6-20
Section III. Maintenance & Repair	6-21
Repair	6-21
Cleaning	6-21

	Page
Inspection	6-21
Maintenance	6-21
Appendix A. Technical Specifications	A-1
Appendix B. Electrical and Data Connections	B-1
Appendix C. System Timing	C-1

CONTACT US

Thank you for purchasing a Miyachi Unitek™ Advanced Data Analysis Monitor.

Upon receipt of your equipment, please thoroughly inspect it for shipping damage prior to its installation. Should there be any damage, please immediately contact the shipping company to file a claim, and notify us at:

AMADA MIYACHI AMERICA
1820 South Myrtle Avenue
P. O. Box 5033
Monrovia, California 91017-7133
Phone: (626) 303-5676
FAX: (626) 358-8048
E-mail: info@amadamiyachi.com

The purpose of this manual is to provide the information required for proper and safe operation and maintenance of the Miyachi Unitek™ Advanced Data Analysis Monitor.

We have made every effort to ensure that information in this manual is both accurate and adequate. If you have any questions or suggestions to improve this manual, please contact us at the phone number or addresses above.

AMADA MIYACHI AMERICA is not responsible for any loss or injury due to improper use of this product.

SAFETY NOTES



DANGER

- DEATH ON CONTACT may result if you fail to observe all safety precautions. *Lethal voltages* are present in the Power Supply.
- *Never* perform any welding operation without wearing protective safety glasses.

This instruction manual describes how to operate, maintain and service the Advanced Data Analysis Monitor, and provides instructions relating to its *safe* use. Procedures described in these manuals *must* be performed, as detailed, by *qualified* and *trained* personnel.

For *safety*, and to effectively take advantage of their full capabilities, please read these instruction manuals before attempting to operate weld heads and power supplies.

Procedures other than those described in these manuals or not performed as prescribed in them, may expose personnel to electrical shock or burn hazards.

After reading these manuals, keep them for future reference.

Please note the following conventions used in this manual:

WARNING: Comments marked this way warn the reader of conditions which might result in *immediate death or serious injury*.

CAUTION: Comments marked this way warn the reader of conditions which might result in damage to the equipment.

Declaration of Conformity

Application of Council Directive: 2004/108/EC

**Standards To Which
Conformity Is Declared:** EN61326: 2006
EN55011 Class A Group 1
EN61000-4-2
EN61000-4-3
EN61000-4-4
EN61000-4-5
EN61000-4-6
EN61000-4-8
EN61000-4-11

Manufacturer's Name: Miyachi Unitek
1820 S. Myrtle Avenue
Manufacturer's Address: Monrovia, CA 91016
626-303-5676

Equipment Description: Advanced Data Analysis Monitor
Equipment Class: Laboratory, Measurement, &
Process Control Equipment:
Industrial Environment

Model Numbers: ADAM

I the undersigned, hereby declare that the equipment specified above, conforms to the above Directive(s) and Standard(s).

Place: MONROVIA, CA USA
Signature: David Cielinski
Full Name: DAVID CIELINSKI
Position: V.P. STD PRODUCT ENGINEERING

DECLARATION OF CONFORMITY

Application of Council Directive: 2006/95/EC

Standards to which conformity is declared: EN61010-1: 2001

Manufacturer's Name: Miyachi Unitek

Manufacturer's Address: 1820 S. Myrtle Avenue
Monrovia, CA 91016

Equipment Description: Advanced Data Analysis Monitor

Equipment Class: Class I

Model Number: ADAM

I the undersigned, hereby declare that the equipment specified above conforms to the above Directive(s) and Standard(s).

Place: Monrovia, CA USA

Signature: David Cielinski

Full Name: DAVID CIELINSKI

Position: V.P. STD PRODUCT ENGINEER

ADVANCED DATA ANALYSIS MONITOR

LIMITED WARRANTY

1. (a) Subject to the exceptions and upon the conditions set forth herein, Seller warrants to Buyer that for a period of one (1) year from the date of shipment (“**Warranty Period**”), that such Goods will be free from material defects in material and workmanship.

(b) Notwithstanding the foregoing and anything herein to the contrary, the warranty set forth in this Section 1 shall be superseded and replaced in its entirety with the warranty set forth on **Exhibit A** hereto if the Goods being purchased are specialty products, which include, without limitation, laser products, fiber markers, custom systems, workstations, Seller-installed products, non-catalogue products and other custom-made items (each a “**Specialty Products.**”

(c) EXCEPT FOR THE WARRANTY SET FORTH IN SECTION 1(A), SELLER MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE GOODS (INCLUDING ANY SOFTWARE) OR SERVICES, INCLUDING ANY (a) WARRANTY OF MERCHANTABILITY; (b) WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE; (c) WARRANTY OF TITLE; OR (d) WARRANTY AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY; WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE.

(d) Products manufactured by a third party and third party software (“**Third Party Product**”) may constitute, contain, be contained in, incorporated into, attached to or packaged together with, the Goods. Third Party Products are not covered by the warranty in Section 1(a). For the avoidance of doubt, **SELLER MAKES NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO ANY THIRD PARTY PRODUCT, INCLUDING ANY (a) WARRANTY OF MERCHANTABILITY; (b) WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE; (c) WARRANTY OF TITLE; OR (d) WARRANTY AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY; WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE.** Notwithstanding the foregoing, in the event of the failure of any Third Party Product, Seller will assist (within reason) Buyer (at Buyer’s sole expense) in obtaining, from the respective third party, any (if any) adjustment that is available under such third party’s warranty.

(e) Seller shall not be liable for a breach of the warranty set forth in Section 1(a) unless: (i) Buyer gives written notice of the defect, reasonably described, to Seller within five (5) days of the time when Buyer discovers or ought to have discovered the defect and such notice is received by Seller during the Warranty Period; (ii) Seller is given a reasonable opportunity after receiving the notice to examine such Goods; (iii) Buyer (if requested to do so by Seller) returns such Goods (prepaid and insured to Seller at 1820 South Myrtle Avenue, Monrovia, CA 91016 or to such other location as designated in writing by Seller) to Seller pursuant to Seller’s RMA procedures and Buyer obtains a RMA number from Seller prior to returning such Goods for the examination to take place; and (iii) Seller reasonably verifies Buyer’s claim that the Goods are defective and that the defect developed under normal and proper use.

(f) Seller shall not be liable for a breach of the warranty set forth in Section 1(a) if: (i) Buyer makes any further use of such Goods after giving such notice; (ii) the defect arises because Buyer failed to follow Seller’s oral or written instructions as to the storage, installation, commissioning, use or maintenance of the Goods; (iii) Buyer alters or repairs such Goods without the prior written consent of Seller; or (iv) repairs or modifications are made by persons other than Seller’s own service personnel, or an authorized representative’s personnel, unless such repairs are made with the written consent of Seller in accordance with procedures outlined by Seller.

(g) All expendables such as electrodes are warranted only for defect in material and workmanship which are apparent upon receipt by Buyer. The foregoing warranty is negated after the initial use.

(h) Subject to Section 1(e) and Section 1(f) above, with respect to any such Goods during the Warranty Period, Seller shall, in its sole discretion, either: (i) repair or replace such Goods (or the defective part) or (ii) credit or refund the price of such Goods at the pro rata contract rate, provided that, if Seller so requests, Buyer shall, at Buyer's expense, return such Goods to Seller.

(i) THE REMEDIES SET FORTH IN SECTION 1(H) SHALL BE BUYER'S SOLE AND EXCLUSIVE REMEDY AND SELLER'S ENTIRE LIABILITY FOR ANY BREACH OF THE LIMITED WARRANTY SET FORTH IN SECTION 1(A). Representations and warranties made by any person, including representatives of Seller, which are inconsistent or in conflict with the terms of this warranty, as set forth above, shall not be binding upon Seller.

Exhibit A
Warranty for “Specialty Products”

Limited Warranty

EXCEPT FOR THE WARRANTY SET FORTH BELOW IN THIS EXHIBIT A, SELLER MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE GOODS (INCLUDING ANY SOFTWARE) OR SERVICES, INCLUDING ANY (a) WARRANTY OF MERCHANTABILITY; (b) WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE; (c) WARRANTY OF TITLE; OR (d) WARRANTY AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY; WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE.

Warranty Period: The Warranty Period for Specialty Products is for one (1) year, and the Warranty Period for laser welders and laser markers is two (2) years (unlimited hours), and the Warranty Period for the laser pump diodes or modules is two (2) years or 10,000 clock hours, whichever occurs first (as applicable, the “**Warranty Period**”). The Warranty Period begins as follows: (i) on orders for Goods purchased directly by Buyer, upon installation at Buyer’s site or thirty (30) days after the date of shipment, whichever occurs first; or (ii) on equipment purchased by a Buyer that is an OEM or systems integrators, upon installation at the end user’s site or six (6) months after the date of shipment, whichever occurs first.

Acceptance Tests: Acceptance Tests (when required) shall be conducted at AMADA MIYACHI AMERICA, Inc., Monrovia, CA, USA (the “**Testing Site**”) unless otherwise mutually agreed in writing prior to issuance or acceptance of the Acknowledgement. Acceptance Tests shall consist of a final visual inspection and a functional test of all laser, workstation, enclosure, motion and accessory hardware. Acceptance Tests shall include electrical, mechanical, optical, beam delivery, and software items deliverable under the terms of the Acknowledgement. Terms and conditions for Additional Acceptance Tests either at Seller’s or Buyer’s facility shall be mutually agreed in writing prior to issuance or acceptance of the Acknowledgement.

Performance Warranty: The system is warranted to pass the identical performance criteria at Buyer’s site as demonstrated during final Acceptance Testing at the Testing Site during the Warranty Period, as provided in the Acknowledgement. Seller explicitly disclaims any responsibility for the process results of the laser processing (welding, marking, drilling, cutting, etc.) operations.

Exclusions: Seller makes no warranty, express or implied, with respect to the design or operation of any system in which any Seller’s product sold hereunder is a component.

Limitations: The limited warranty set forth on this Exhibit A does not cover loss, damage, or defects resulting from transportation to Buyer’s facility, improper or inadequate maintenance by Buyer, Buyer-supplied software or interfacing, unauthorized modification or misuse, operation outside of the environmental specifications for the equipment, or improper site preparation and maintenance. This warranty also does not cover damage from misuse, accident, fire or other casualties of failures caused by modifications to any part of the equipment or unauthorized entry to those portions of the laser which are stated. Furthermore, Seller shall not be liable for a breach of the warranty set forth in this Exhibit A if: (i) Buyer makes any further use of such Goods after giving such notice; (ii) the defect arises because Buyer failed to follow Seller’s oral or written instructions as to the storage, installation, commissioning, use or maintenance of the Goods; (iii) Buyer alters or repairs such Goods without the prior written consent of Seller; or (iv) repairs or modifications are made by persons other than Seller’s own service personnel, or an authorized representative’s personnel, unless such repairs are made with the written consent of Seller in accordance with procedures outlined by Seller.

Seller further warrants that all Services performed by Seller's employees will be performed in a good and workmanlike manner. Seller's sole liability under the foregoing warranty is limited to the obligation to re-perform, at Seller's cost, any such Services not so performed, within a reasonable amount of time following receipt of written notice from Buyer of such breach, provided that Buyer must inform Seller of any such breach within ten (10) days of the date of performance of such Services.

Seller shall not be liable for a breach of the warranty set forth in this Exhibit A unless: (i) Buyer gives written notice of the defect or non-compliance covered by the warranty, reasonably described, to Seller within five (5) days of the time when Buyer discovers or ought to have discovered the defect or non-compliance and such notice is received by Seller during the Warranty Period; (ii) Seller is given a reasonable opportunity after receiving the notice to examine such Goods and (a) Buyer returns such Goods to Seller's place of business at Buyer's cost (prepaid and insured); or (b) in the case of custom systems, Seller dispatches a field service provider to Buyer's location at Buyer's expense, for the examination to take place there; and (iii) Seller reasonably verifies Buyer's claim that the Goods are defective or non-compliant and the defect or non-compliance developed under normal and proper use.

All consumable, optical fibers, and expendables such as electrodes are warranted only for defect in material and workmanship which are apparent upon receipt by Buyer. The foregoing warranty is negated after the initial use.

No warranty made hereunder shall extend to any product whose serial number is altered, defaced, or removed.

Remedies: With respect to any such Goods during the Warranty Period, Seller shall, in its sole discretion, either: repair such Goods (or the defective part). **THE REMEDIES SET FORTH IN THE FOREGOING SENTENCE SHALL BE BUYER'S SOLE AND EXCLUSIVE REMEDY AND SELLER'S ENTIRE LIABILITY FOR ANY BREACH OF THE LIMITED WARRANTY SET FORTH IN THIS EXHIBIT A.** Representations and warranties made by any person, including representatives of Seller, which are inconsistent or in conflict with the terms of this warranty, as set forth above, shall not be binding upon Seller.

Products manufactured by a third party and third party software ("**Third Party Product**") may constitute, contain, be contained in, incorporated into, attached to or packaged together with, the Goods. Third Party Products are not covered by the warranty in this Exhibit A. For the avoidance of doubt, **SELLER MAKES NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO ANY THIRD PARTY PRODUCT, INCLUDING ANY (a) WARRANTY OF MERCHANTABILITY; (b) WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE; (c) WARRANTY OF TITLE; OR (d) WARRANTY AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY; WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE.** Notwithstanding the foregoing, in the event of the failure of any Third Party Product, Seller will assist (within reason) Buyer (at Buyer's sole expense) in obtaining, from the respective third party, any (if any) adjustment that is available under such third party's warranty.

